

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	465	(image\$1 near2 (seach\$3 or retriev\$3 or request\$3)) same (cube\$1 or (three near2 dimension\$3) or 3-D)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:13
L2	0	1 and (shape near2 quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:13
L3	48	(image\$1 near2 (seach\$3 or retriev\$3 or request\$3)) same (cube\$1 or (three near2 dimension\$3) or 3-D) same shape\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:31
L4	1	3 and 707/3,4,10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:14
L5	3	3 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:15
L6	12	3 and "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:30
L7	89080	(image near2 view\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:31
L8	3055	(image\$1 near2 view\$1) same (cube\$1 or (three near2 dimension\$3) or 3-D)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:31
L9	127	1 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:37
L10	651	(view\$1 with (3-D or (three near2 dimension\$3))) same (search\$3 or request\$3 or retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:39

L11	32	((image near2 view\$1) with (3-D or (three near2 dimension\$3))) same (search\$3 or request\$3 or retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:43
L12	5037330	(image\$1 with different view\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:42
L13	9	(image with different with view\$1 with (3-D or (three near2 dimension\$3))) same (search\$3 or request\$3 or retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:43
L14	12	(image\$1 with different with view\$1 with (3-D or (three near2 dimension\$3))) same (search\$3 or request\$3 or retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:49
L15	782	(image\$1 with different with view\$1 with (3-D or (three near2 dimension\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:49
L16	281	15 and (search\$3 or request\$3 or retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:49
L17	1	16 and "707"/\$.ccls. and "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:50
L18	1	15 and "707"/\$.ccls. and "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:51
L19	4	(image near2 view near2 descriptor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:51
L20	112	15 and "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:54

L21	22	15 and "382"/\$.ccls. and (search\$3 or request\$3 or quer\$3 or retriev\$3).ti, clm,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 14:54
-----	----	--	---	----	-----	------------------



Welcome United States Patent and Trademark Office

☐ Search Session History
[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Sat, 12 Nov 2005, 3:39:55 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((3-d<in>metadata) <and> (view<in>metadata))<and> (search<in>metadata)
- #2 ((3-d<in>metadata) <and> (view<in>metadata))<and> (search<in>metadata)
- #3 ((3-d<in>metadata) <and> (view<in>metadata))<and> (search<in>metadata)
- #4 (shape<in>metadata)
- #5 (((shape<in>metadata))<AND>(shape<in>metadata))
- #6 (((3-d<in>metadata) <and> (view<in>metadata))<and> (search<in>metadata))
- #7 4
- #8 (((3-d<in>metadata) <and> (view<in>metadata))<and> (search<in>metadata)) and shepe

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE